

REC'D AUG 09 1999

Emergency Number: (517)496-3780

2936

01L00037

---

Section 1

Product Name and Information

---

**Product(Trade Name and Synonyms):** Solest<sup>®</sup>68

**Chemical Name:** Ester

**Chemical Family:** Polyol Ester

**Formula:** Proprietary

**CAS#:** Proprietary

---

Section 2

Components and Hazard Statement

---

**This product is non-hazardous.** The product contains no known carcinogens. No special warning labels are required under OSHA 29 CFR 1910.1200.

---

Section 3

Safe Handling and Storage

---

**Handling.** Do not take internally. Avoid contact with skin, eyes, and clothing. Upon contact with skin, wash with soap and water. Flush eyes with water for 15 minutes and consult physician. Wash contaminated clothing before reuse.

**Storage.** Keep container tightly sealed when not in use. Product is hygroscopic. Storage under nitrogen highly recommended.

2936

---

Section 4 **Physical Data**

---

Appearance: Clear liquid, gray to yellow or light brown tint  
Boiling Point: > 650°F  
Vapor Pressure:<0.01mmHg @ 20°C  
Specific Gravity(water=1):0.94-0.97  
Volatiles, Percent by Volume: 0%  
Odor: Mild, distinct  
Solubility in Water: Negligible  
Evaporation Rate(butyl acetate=1): Nil

---

Section 5 **Fire and Explosion Hazards**

---

**Flash Point** (by Cleveland Open Cup): 230-300°C  
Flammable Limits: not established  
Autoignition Temperature: no data  
HMIS Ratings:  
    Health: 0  
    Flammability: 1  
    Reactivity: 0

**Extinguishing Media:** Dry chemical; CO<sub>2</sub> foam; water fog(see below)

**Unusual Fire and Explosion Hazards:** None

**Special Fire Fighting Techniques:** Burning fluid may evolve irritating/noxious fumes. Firefighters should use NIOSH/MNSA-approved self-contained breathing apparatus. Use water fog to cool fire-exposed containers. **USE WATER CAREFULLY NEAR EXPOSED/BURNING LIQUIDS.** May cause frothing and splashing of hot material.

2936

---

Section 6                      **Reactivity Data**

---

Stability: **Stable**

Hazardous Polymerization: Will not occur

Incompatible Materials: Strong oxidizers, caustic or acidic solutions

Conditions to Avoid: Excessive heat

Hazardous Decomposition Products: Analogous compounds evolve carbon monoxide, carbon dioxide, and other unidentified fragments when burned. See Section 5.

**This product may degrade some paints and rubber materials.**

---

Section 7                      **Health Hazard Data**

---

Threshold Limit Value: not established

Situations to Avoid: Avoid breathing oil mists

First Aid Procedures:

    Ingestion: Consult physician at once. May cause nausea and diarrhea.

    Inhalation: Product is not toxic by inhalation. If oil mist is inhaled, remove to fresh air and consult physician.

**To the best of our knowledge, the toxicological properties of these compounds have not been fully investigated. Analogous compounds are considered to be essentially non-toxic.**

---

Section 8                      **Personal Protection Information**

---

Respiratory Protection: Use in well ventilated area

Ventilation: Local exhaust

Protective Gloves: Strongly recommended, especially for prolonged exposure.

Eye/Face Protection: Goggles

2936

---

Section 9

**Spill or Leak Procedures**

---

**In Case of Spill:** Wear suitable protective equipment, especially goggles. Stop source of spill. Dike spill area. Use absorbent materials to soak up fluid(i.e. sand, sawdust, and commercially available materials). Wash spill area with large amounts of water. Properly dispose of all materials.

---

Section 10

**Waste Disposal Methods**

---

Incinerate this product and all associated wastes in a licensed facility in accordance with Federal, state, and local regulations.

The information in this material safety data sheet should be provided to all who use, handle, store, transport, or are otherwise exposed to this product. CPI believes the information in this document to be reliable and up to date as of the date of publication, but makes no guarantee that it is.

2/98