# R2230HW Honeywell

Genetron 22 30lb/13.6kg Jug

## 000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name

Genetron® 22

**MSDS Number** 

00000009890

Product Use Description

Refrigerant

Manufacturer or supplier's

details

Honeywell International, Inc.

101 Columbia Road

Morristown, NJ 07962-1057

For more information call

800-522-8001

+1-973-455-6300

(Monday-Friday, 9:00am-5:00pm)

In case of emergency call

Medical: 1-800-498-5701 or +1-303-389-1414

Transportation (CHEMTREC): 1-800-424-9300 or

+1-703-527-3887

(24 hours/day, 7 days/week)

## SECTION 2. HAZARDS IDENTIFICATION

## **Emergency Overview**

Form

: Liquefied gas

Color

: colourless

Odor

: slight

## Classification of the substance or mixture

Classification of the substance : Gases under pressure, Liquefied gas

or mixture

Simple Asphyxiant

GHS Label elements, including precautionary statements

## Honeywell

#### Genetron 22 30lb/13.6kg Jug

## 000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

Symbol(s)



Signal word

: Warning

Hazard statements

: Contains gas under pressure; may explode if heated. May displace oxygen and cause rapid suffocation.

Precautionary statements

: Prevention:

Use personal protective equipment as required.

Storage:

Protect from sunlight. Store in a well-ventilated place.

Hazards not otherwise

classified

: May cause eye and skin irritation.

May cause frostbite.

May cause cardiac arrhythmia.

## Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP, IARC, or OSHA.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula

: CHCIF2

Chemical nature

: Substance

Chemical Name

CAS-No.

Concentration

Chlorodifluoromethane

75-45-6

100.00 %

## SECTION 4. FIRST AID MEASURES

Inhalation

: Move to fresh air. If breathing is irregular or stopped, administer

artificial respiration. Use oxygen as required, provided a

Page 2 / 13

## Honeywell

#### Genetron 22 30lb/13.6kg Jug

## 000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

qualified operator is present. Call a physician. Do not give drugs

from adrenaline-ephedrine group.

Skin contact : After contact with skin, wash immediately with plenty of water. If

there is evidence of frostbite, bathe (do not rub) with lukewarm (not hot) water. If water is not available, cover with a clean, soft cloth or similar covering. If symptoms persist, call a physician.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. In case of frostbite water should be lukewarm, not hot. If symptoms persist, call a physician.

Ingestion : Unlikely route of exposure. As this product is a gas, refer to the

inhalation section. Do not induce vomiting without medical

advice. Call a physician immediately.

## Notes to physician

Treatment

: Because of the possible disturbances of cardiac rhythm,

catecholamine drugs, such as epinephrine, should be used with special caution and only in situations of emergency life support. Treatment of overexposure should be directed at the control of symptoms and the clinical conditions. Treat frost-bitten areas as

needed.

#### SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media

: The product is not flammable.

ASHRAE 34

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Specific hazards during

firefighting

: Contents under pressure.

This product is not flammable at ambient temperatures and

atmospheric pressure.

However, this material can ignite when mixed with air under

pressure and exposed to strong ignition sources.

Container may rupture on heating.

Cool closed containers exposed to fire with water spray.

Do not allow run-off from fire fighting to enter drains or water

courses.

## Honeywell

## Genetron 22 30lb/13.6kg Jug

## 00000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

Vapours are heavier than air and can cause suffocation by

reducing oxygen available for breathing.

In case of fire hazardous decomposition products may be

produced such as:

Gaseous hydrogen chloride (HCI).

Hydrogen fluoride Carbon monoxide Carbon dioxide (CO2) Carbonyl halides

Special protective equipment

for firefighters

: In the event of fire and/or explosion do not breathe fumes. Wear self-contained breathing apparatus and protective suit.

No unprotected exposed skin areas.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions

: Immediately evacuate personnel to safe areas.

Keep people away from and upwind of spill/leak.

Wear personal protective equipment. Unprotected persons

must be kept away.

Remove all sources of ignition.

Avoid skin contact with leaking liquid (danger of frostbite).

Ventilate the area.

After release, disperses into the air.

Vapours are heavier than air and can cause suffocation by

reducing oxygen available for breathing. Avoid accumulation of vapours in low areas.

Unprotected personnel should not return until air has been

tested and determined safe.

Ensure that the oxygen content is >= 19.5%.

Environmental precautions

Prevent further leakage or spillage if safe to do so.

The product evapourates readily.

Methods for cleaning up

: Ventilate the area.

## **SECTION 7. HANDLING AND STORAGE**

Handling

Handling ...

: Handle with care.

Page 4 / 13

## Honeywell

#### Genetron 22 30lb/13.6kg Jug

## 000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

Avoid inhalation of vapour or mist.

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment.

Pressurized container. Protect from sunlight and do not expose

to temperatures exceeding 50 °C.

Follow all standard safety precautions for handling and use of

compressed gas cylinders. Use authorized cylinders only.

Protect cylinders from physical damage.

Do not puncture or drop cylinders, expose them to open flame or

excessive heat.

Do not pierce or burn, even after use. Do not spray on a naked

flame or any incandescent material.

Do not remove screw cap until immediately ready for use.

Always replace cap after use.

Advice on protection against :

fire and explosion

The product is not flammable.

Can form a combustible mixture with air at pressures above

atmospheric pressure.

#### Storage

Requirements for storage areas and containers

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even

after use.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Storage rooms must be properly ventilated.

Ensure adequate ventilation, especially in confined areas.

Protect cylinders from physical damage.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Protective measures

Do not breathe vapour.

Avoid contact with skin, eyes and clothing.

Ensure that eyewash stations and safety showers are close to

the workstation location.

Engineering measures

General room ventilation is adequate for storage and handling.

Perform filling operations only at stations with exhaust

ventilation facilities.

## Honeywell

#### Genetron 22 30lb/13.6kg Jug

## 000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

Eye protection

Wear as appropriate:

Safety glasses with side-shields If splashes are likely to occur, wear:

Goggles or face shield, giving complete protection to eyes

Hand protection

: Leather gloves

In case of contact through splashing:

Protective gloves Neoprene gloves

Polyvinyl alcohol or nitrile- butyl-rubber gloves

Skin and body protection

: Avoid skin contact with leaking liquid (danger of frostbite).

Wear cold insulating gloves/ face shield/ eye protection.

Respiratory protection

: In case of insufficient ventilation wear suitable respiratory

equipment.

Wear a positive-pressure supplied-air respirator.

Vapours are heavier than air and can cause suffocation by

reducing oxygen available for breathing.

For rescue and maintenance work in storage tanks use

self-contained breathing apparatus.

Hygiene measures

Handle in accordance with good industrial hygiene and safety

practice.

Ensure adequate ventilation, especially in confined areas.

Avoid contact with skin, eyes and clothing.

Remove and wash contaminated clothing before re-use.

Keep working clothes separately.

Components	CAS-No.	Value	Control parameters	Upda te	Basis
Chlorodifluoromet hane	75-45-6	TWA : time weighted average	(1,000 ppm)	2008	ACGIH:US. ACGIH Threshold Limit Values

Chlorodifluoromet hane	75-45-6	STEL: Short term exposure limit	4,375 mg/m3 (1,250 ppm)	2005	NIOSH/GUIDE:US. NIOSH: Pocket Guide to Chemical Hazards
---------------------------	---------	---	----------------------------	------	--

## Honeywell

Genetron 22 30lb/13.6kg Jug

## 000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

Chlorodifluoromet hane	75-45-6		3,500 mg/m3 (1,000 ppm)	1989	Z1A:US. OSHA Table Z-1-A (29 CFR 1910.1000)
		average			

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state

: Liquefied gas

Color

: colourless

Odor

: slight

pН

: Note: neutral

Melting point/freezing point

: -160 °C

Boiling point/boiling range

: -40.8 °C

Flash point

: Note: not applicable

Lower explosion limit

: Note: None

Upper explosion limit

; Note: None

Vapor pressure

: 9,384 hPa

at 21.1 °C(70.0 °F)

21,470 hPa

at 54.4 °C(129.9 °F)

## Honeywell

#### Genetron 22 30lb/13.6kg Jug

## 000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

Vapor density

: 3 Note: (Air = 1.0)

Density

: 1.21 g/cm3 at 21.1 °C

Water solubility

: 3.0 g/l

Partition coefficient:

n-octanol/water

: log Pow: 1.08 - 1.13

Note: The product is more soluble in octanol.

Ignition temperature

: Note: not determined

Decomposition temperature

: > 250 °C

Molecular weight

: 86.46 g/mol

Global warming potential : 1,500

(GWP)

Ozone depletion potential

(ODP)

: 0.06

#### **SECTION 10. STABILITY AND REACTIVITY**

Chemical stability

: Stable under normal conditions.

Possibility of hazardous

reactions

Conditions to avoid

: Hazardous polymerisation does not occur.

: Pressurized container. Protect from sunlight and do not expose

to temperatures exceeding 50 °C. Decomposes under high temperature.

Some risk may be expected of corrosive and toxic

decomposition products.

Can form a combustible mixture with air at pressures above

atmospheric pressure.

Do not mix with oxygen or air above atmospheric pressure.

## Honeywell

Genetron 22 30lb/13.6kg Jug

000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

Incompatible materials to

avoid

: Finely divided aluminium

Potassium Calcium

Powdered metals Aluminium Magnesium

Zinc

Hazardous decomposition

products

: In case of fire hazardous decomposition products may be

produced such as:

Gaseous hydrogen chloride (HCI). Gaseous hydrogen fluoride (HF).

Carbonyl halides Carbon monoxide Carbon dioxide (CO2)

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

Acute inhalation toxicity

: LC50: > 300000 ppm

Exposure time: 4 h

Species: rat

Sensitisation

: Cardiac sensitization

Species: dogs

Note: Chlorodifluoromethane (HCFC-22): Cardiac sensitisation

threshold (dog): 50000 ppm.

Repeated dose toxicity

: Species: rat

Application Route: Inhalation Exposure time: Lifetime Exposure

NOEL: 10000 ppm

Note: Lifetime exposure of male rats was associated with a

small increase in salivary gland fibrosarcomas.

Further information

: Acute toxicity Rapid evapouration of the liquid may cause

frostbite. Vapours are heavier than air and can cause

suffocation by reducing oxygen available for breathing. May

## Honeywell

Genetron 22 30lb/13.6kg Jug

000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

cause cardiac arrhythmia.

#### SECTION 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity effects**

Toxicity to fish

: static test

LC50: 777 mg/l

Exposure time: 96 h Species: Danio rerio (zebra fish)

Toxicity to daphnia and other : static test

aquatic invertebrates

EC50: 433 mg/l

Exposure time: 48 h

Species: Daphnia magna (Water flea)

#### Further information on ecology

Additional ecological

information

: Accumulation in aquatic organisms is unlikely.

This product contains greenhouse gases which may contribute to global warming. Do NOT vent to the atmosphere. To comply with provisions of the U.S. Clean Air Act, any residual must be

recovered.

This product is subject to U.S. Environmental Protection Agency Clean Air Act Regulations at 40 CFR Part 82.

Section 611 requires the following label text on all shipments of

this product:

Warning: Contains Chlorodifluoromethane (HCFC-22), a substance which harms public health and environment by

destroying ozone in the upper atmosphere.

Refer to sections 610 and 612 for list of acceptable and

unacceptable uses for this product.

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Disposal methods

: Observe all Federal, State, and Local Environmental

regulations.

Note

This product is subject to U.S. Environmental Protection Agency

Clean Air Act Regulations Section 608 in 40 CFR Part 82

Page 10 / 13

## Honeywell

Genetron 22 30lb/13.6kg Jug

000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

regarding refrigerant recycling.

**SECTION 14. TRANSPORT INFORMATION** 

DOT UN/ID No. : UN 1018

Proper shipping name

: Chlorodifluoromethane

Class

2.2

Packing group

Hazard Labels

2.2

IATA

UN/ID No.

: UN 1018

Description of the goods

: Chlorodifluoromethane

Class

: 2.2

Hazard Labels Packing instruction (cargo : 2.2

: 200

aircraft)

Packing instruction

: 200

(passenger aircraft)

**IMDG** 

UN/ID No.

: UN 1018

Description of the goods

: Chlorodifluoromethane

Class

: 2.2

Hazard Labels

: 2.2

EmS Number

: F-C, S-V

Marine pollutant

: no

#### **SECTION 15. REGULATORY INFORMATION**

#### **Inventories**

US. Toxic Substances

: On TSCA Inventory

Control Act

Australia, Industrial

Chemical (Notification and

: On the inventory, or in compliance with the inventory

Assessment) Act

Canada. Canadian

: All components of this product are on the Canadian DSL.

Environmental Protection Act (CEPA). Domestic

Substances List (DSL)

Page 11 / 13

## Honeywell

Genetron 22 30lb/13.6kg Jug

000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

Japan. Kashin-Hou Law List : On the inventory, or in compliance with the inventory

Korea, Toxic Chemical Control Law (TCCL) List : On the inventory, or in compliance with the inventory

Philippines. The Toxic Substances and Hazardous and Nuclear Waste Control

: On the inventory, or in compliance with the inventory

Act

Chemical Substances

China. Inventory of Existing : On the inventory, or in compliance with the inventory

**National regulatory information** 

**SARA 302 Components** 

: SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components** 

: The following components are subject to reporting levels

established by SARA Title III, Section 313:

75-45-6 : Chlorodifluoromethane

SARA 311/312 Hazards

: Acute Health Hazard

Sudden Release of Pressure Hazard

California Prop. 65

: This product does not contain any chemicals known to State of

California to cause cancer, birth defects, or any other

reproductive harm.

Massachusetts RTK

: Chlorodifluoromethane

75-45-6

**New Jersey RTK** 

: Chlorodifluoromethane

75-45-6

Pennsylvania RTK

: Chlorodifluoromethane

75-45-6

**WHMIS Classification** 

: A: Compressed Gas

Page 12 / 13

## Honeywell

#### Genetron 22 30lb/13.6kg Jug

## 000000009890

Version 2.8

Revision Date 04/03/2014

Print Date 04/26/2014

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR.

Global warming potential : 1,500

Ozone depletion potential : 0.06

(ODP)

#### SECTION 16. OTHER INFORMATION

	HMIS III	NFPA
Health hazard	: 1	2
Flammability	; 1	1
Physical Hazard	: 0	
Instability	•	0

Hazard rating and rating systems (e.g. HMIS® III, NFPA): This information is intended solely for the use of individuals trained in the particular system.

#### **Further information**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Final determination of suitability of any material is the sole responsibility of the user. This information should not constitute a guarantee for any specific product properties.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Previous Issue Date: 02/14/2013

Prepared by Honeywell Performance Materials and Technologies Product Stewardship Group

		Λ.

.....

## Honeywell

Delaware Trane Parts Center 66 Southgate Blvd NEW CASTLE DE 19720-2068 US Specialty Materials 101 Columbia Road Morristown, NJ 07962 ATTN: MSDS Coordinator Mail Stop: Mey-4

April 26, 2014

Dear Sir or Madam:

As a Responsible Care® company, Honeywell is focused on maintaining a high quality Product Stewardship program. To that end, our customers are sent Material Safety Data Sheets (MSDSs) whenever:

- you purchase a product for the first time in a given calendar year,
- a MSDS is significantly revised and/or updated
- the product contains a chemical(s) that is listed under Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986.

Enclosed are the current MSDSs for Honeywell International Inc. products purchased by your company. It is imperative that you read and understand these MSDSs, and that copies be permanently maintained on file at your facility. In addition, if you redistribute the products, these MSDSs must also be provided to downstream employers receiving the products. If you or your department is not responsible for these files, please forward this information accordingly.

Should you have questions, or require any additional information about these products, please refer to Section 1 of the MSDS for contact information.

Sincerely,

Amy Jones, Ph.D.

Director, Product Stewardship

Enclosure(s)