

NOV 09 1993

SELO0438
2369

Material Safety Data Sheet
SIKALASTOMER 84, 93, AND 95

Page: 1
07/19/93

SIKA CORPORATION
201 POLITO AVENUE
LYNDHURST, NJ 07071

Telephone: (201)933-8800

Company Contact: STEVEN ROSENBERG

Emergency Contact: CHEMTREC
Emergency Phone Number: (800)424-9300

SECTION #1 - IDENTIFICATION

Product

Name: SIKALASTOMER 84, 93, AND 95

CAS Number: Not Established

Chemical Family: BUTYL SEALANT

Chemical Formula: COMPLEX MIXTURE

HMIS Hazard Rating - Health: 0 Negligible
- Fire: 1 Slight
- Reactivity: 0 Negligible

SECTION #2 - HAZARDOUS CHEMICAL COMPONENTS

Component: CALCIUM CARBONATE

CAS Number: 1317-65-3

ACGIH TLV-TWA: 10 MG/M3

OSHA TRANS. PEL-TWA: 5 MG/M3

NTP N/AP

IARC N/AP

Component: CARBON BLACK

CAS Number: 1333-86-4

ACGIH TLV-TWA: 3.5 MG/M3

OSHA PEL-TWA: 3.5 MG/M3

NTP N/AP

IARC N/AP

Component: HYDRATED AMORPHOUS SILICA

CAS Number: 63231-67-4

ACGIH N/E

OSHA PEL-TWA: 15 MG/M3

NTP N/AP

IARC N/AP

Component: TALC

CAS Number: 14807-96-6

ACGIH TLV-TWA: 2 MG/M3

OSHA PEL-TWA: 20 MPPCF

NTP N/AP

IARC N/AP

2369

Material Safety Data Sheet
SIKALASTOMER 84, 93, AND 95

Page: 2
07/19/93

SECTION #3 - PHYSICAL DATA

Boiling Point: N/AP°F
Melting Point: N/AP°F
Vapor Pressure: N/AP
Vapor Density (Air=1): N/AP
Specific Gravity: 1.35
Solubility (H2O): INSOLUBLE
Percent Volatiles: 0
Evaporation Rate: N/AP

Appearance

OFF-WHITE, BLACK OR GRAY TACKY SOLID

Odor

NO ODOR

SECTION #4 - FIRE FIGHTING & EXPLOSION DATA

Flash Point: 400°F 204°C PMCC
Autoignition: UNKNOWN°F

Flammability Class: NCMB

Lower Explosive Limit (%): N/AP
Upper Explosive Limit (%): N/AP

Fire and Explosion Hazards

NONE KNOWN

Extinguishing Media

CARBON DIOXIDE, WATER, DRY CHEMICAL OR FOAM, AS FOR SURROUNDING FIRES.

Special Fire Fighting Instructions

WEAR NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR, AS FOR SURROUNDING FIRES.

SECTION #5 - EXPOSURE and EFFECTS - INHALATION

Routes of Exposure - Inhalation

NO INHALATION EFFECTS ARE KNOWN OR HAVE EVER BEEN REPORTED.

2369

SECTION #5 - EXPOSURE and EFFECTS - INHALATION Continued...

First Aid - Inhalation

REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, INSTITUTE ARTIFICIAL RESPIRATION. CONSULT WITH PHYSICIAN.

SECTION #5 - EXPOSURE and EFFECTS - SKIN

Routes of Exposure - Skin

HAS NO TOXIC OR INFLAMMATORY EFFECT ON SKIN. HAS NO SENSITIZING EFFECT.

First Aid - Skin

NONE REQUIRED. IN ACCORDANCE WITH GOOD HYGIENIC PRACTICE, WASH WITH SOAP AND WATER AFTER USE.

SECTION #5 - EXPOSURE and EFFECTS - EYES

Routes of Exposure - Eyes

EYE CONTACT UNLIKELY IN NORMAL USE BUT ACTS AS A MECHANICAL IRRITANT.

First Aid - Eyes

RINSE EYES THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. CONSULT PHYSICIAN.

SECTION #5 - EXPOSURE and EFFECTS - INGESTION

Routes of Exposure - Ingestion

NOT NORMALLY INGESTED IN INDUSTRIAL USE. INGESTION MAY CAUSE SLIGHT GASTRO-INTESTINAL DISCOMFORT.

First Aid - Ingestion

IF INGESTED, DO NOT INDUCE VOMITING. IF DISCOMFORT PERSISTS, CALL A PHYSICIAN.

SECTION #5 - MISCELLANEOUS TOXICOLOGICAL INFORMATION

NONE KNOWN

2369

SECTION #5 - HEALTH CONDITIONS AGGRAVATED BY EXPOSURE

NONE KNOWN

SECTION #6 - REACTIVITY & POLYMERIZATION

Stability: STABLE

Conditions to Avoid (Stability)

NONE KNOWN

Incompatible Materials

STRONG OXIDIZERS

Hazardous Decomposition Products

CARBON MONOXIDE, CARBON DIOXIDE AND HYDROCARBONS UPON COMBUSTION.

Conditions to Avoid (Polymerization)

NONE KNOWN

Hazardous Polymerization: WILL NOT OCCUR

SECTION #7 - SPILL, LEAK, & DISPOSAL PROCEDURES

Steps to be Taken in The Event of Spills, Leaks, or Release

PICK OR SCRAPE UP MATERIAL AND PLACE IN SUITABLE CONTAINER FOR DISPOSAL. CLEAN AREA WITH A NON-FLAMMABLE SOLVENT.

Waste Disposal Methods

DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS.

SECTION #8 - SPECIAL PROTECTIVE MEASURES

Ventilation

NO SPECIAL VENTILATION REQUIRED.

2369

SECTION #8 - SPECIAL PROTECTIVE MEASURES Continued...

Eye Protection

NONE REQUIRED

Skin Protection

NONE REQUIRED

Respiratory Protection

NONE REQUIRED

Other Protection

AS REQUIRED BY YOUR COMPANY

SECTION #9 - SPECIAL PRECAUTIONS - STORAGE & HANDLING

Storage & Handling Conditions

STORE IN COOL DRY PLACE.
KEEP OUT OF REACH OF CHILDREN.
FOR INDUSTRIAL USE ONLY.

SECTION #10 - SHIPPING INFORMATION

Proper Shipping Name: SIKALASTOMER 84, 93 AND 95

Hazard Class: NOT DOT REGULATED

DISCLAIMER OF EXPRESSED AND IMPLIED WARRANTIES

The data in this Material Safety Data Sheet relates only to the specific material herein and does not relate to use in combination with any other material or in any process. The information set forth herein is based on technical data that Sika believes to be reliable as of the date hereof. Since conditions of use are outside our control, we make no warranties, express or implied and assume no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under or a recommendation to infringe any patents.