

6130

MSDS #N119

REC'D SEP 07 1999

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration (Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

TAP00047

X21130654-010



IDENTITY (As Used on Label and List) HYDRO-BALANCE FOAM INSULATION TAPE

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I

#H-2800

Table with 2 columns: Manufacturer's Name (Southwest Air Products), Address (P.O. Box 1155, Euless, TX 76039), Emergency Telephone Number ((972) 492-1800), Telephone Number for Information ((972) 492-1800), Date Prepared (9/02/97), Signature of Preparer (optional) (George J. Heller)

Section II - Hazardous Ingredients/Identity Information

Table with 5 columns: Hazardous Components (Specific Chemical Identity; Common Name(s)), OSHA PEL, ACGIH TLV, Other Limits Recommended, % (optional). Row 1: NO HAZARDOUS INGREDIENTS, N/A, N/A, N/A.

Table with 3 columns: NFPA, RATING, SHIPPING DESCRIPTION. Rows: Health-----0 (0 - Normal Material), Fire-----0 (1 - Slightly Hazardous), Reactivity-----0 (2 - Hazardous), Personal Protection----0 (3 - Extreme Danger, 4 - Deadly), Insulating Tapes NMFC #181840.

Section III - Physical/Chemical Characteristics

Table with 4 columns: Property, Value, Property, Value. Rows: Boiling Point (N/A), Specific Gravity (H2O = 1) (0.03), Vapor Pressure (mm Hg.) (N/A), Melting Point (N/A), Vapor Density (AIR = 1) (N/A), Evaporation Rate (Butyl Acetate = 1) (N/A).

Solubility in Water Negligible

Appearance and Odor Solid, fine celled foam rubber backed adhesive tape; Characteristic odor

Section IV - Fire and Explosion Hazard Data

Table with 4 columns: Flash Point (Method Used) (N/A), Flammable Limits, LEL (N/A), UEL (N/A).

Extinguishing Media Water, carbon dioxide, foam, dry chemical

Special Fire Fighting Procedures Self-contained breathing apparatus and full protective clothing should be worn by fire-fighters during a fire.

Unusual Fire and Explosion Hazards During combustion, toxic gases such as carbon dioxide, carbon monoxide, oxides of nitrogen, etc.

Commodity product will float.

Section V — Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	None

Incompatibility (Materials to Avoid) None

Hazardous Decomposition or Byproducts
Carbon dioxide, carbon monoxide, hydrocarbons and oxides of nitrogen.

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	Extreme heat above 316°C

Section VI — Health Hazard Data

Route(s) of Entry: Inhalation? No Skin? No Ingestion? No

Health Hazards (Acute and Chronic) Not applicable

Carcinogenicity: NTP? No IARC Monographs? No OSHA Regulated? No

Not a carcinogen
Signs and Symptoms of Exposure None known

Medical Conditions Generally Aggravated by Exposure None known

Emergency and First Aid Procedures N/A

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled N/A

Waste Disposal Method Trash receptacle

Precautions to Be Taken in Handling and Storing
Store in a cool, dry place away from sparks, flames, or other ignition sources

Other Precautions
Avoid open flames, material will burn. Do not smoke around or when using this product.

Section VIII — Control Measures

Respiratory Protection (Specify Type) None under normal conditions

Ventilation	Local Exhaust	N/A	Special	N/A
	Mechanical (General)	N/A	Other	N/A

Protective Gloves N/A Eye Protection N/A

Other Protective Clothing or Equipment N/A

Work/Hygienic Practices Wash hands after use.