

REC'D APR 30 1998

5970

CHM00082
CHM00083

MATERIAL SAFETY DATA SHEET

For Coatings, Resins and Related Materials

dated: 05/01/96

Revised: 04/25/96

SECTION I - PRODUCT IDENTIFICATION

STEWART HALL

DIVISION OF THE RECTORSEAL CORPORATION

222 Washington Street • Mt. Vernon, NY 10553
Information Phone: (914) 668-6300
Emergency Phone: (800) 424-9300
CHEMTREC Phone: (800) 424-9300

D.O.T. Hazard Class: NOT HAZARDOUS
Proper Shipping Name: COMPOUND, CLEANING
Technical Name:

UN #:

Trade Name: FLUORESCENT LEAK DETECTOR (DISCONTINUED)

Product Class: PROPYLENE GLYCOL SURFACTANT

Product Code: P08280C

C.A.S. Number: MIXTURE

Prepared By: HARVEY GRODJESK

Title: GENERAL MANAGER

Hazard Ratings: Health - 1
none extreme Fire - 0
0 4 Reactivity - 0
Personal Protection - A

SECTION II - HAZARDOUS INGREDIENTS

Ingredients	CAS#	Weight --- Exposure Limits --- VP		
		%	ACGIH/TLV	OSHA/PEL

***All ingredients in this product are listed in the T.S.C.A. Inventory.
(No hazardous ingredients known at this time.)

SECTION III - PHYSICAL DATA

Boiling Range: 212
Evap. Rate: Faster than n-Butyl Acetate
Volatiles vol % 78 wgt% 67.1

Vapor Density: Heavier than Air
Liquid Density: Heavier than Water.
Wgt per gallon: 8.60 Pounds
Spec. Gravity: 1.03241

Appearance: YELLOW GREEN, SLIGHT NONDESCRIPT ODOR.
V.O.C.: 0

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flammability Class: NA Flash Point: None F PMCC LEL: 2.60% UEL: 12.50%
-EXTINGUISHING MEDIA: NA
-SPECIAL FIREFIGHTING PROCEDURES: NA
-UNUSUAL FIRE & EXPLOSION HAZARDS: NA
-FLAMMABILITY: (NONE = NO)

SECTION V - TOXICOLOGICAL PROPERTIES

-PERMISSIBLE EXPOSURE LEVEL: None established.
-EFFECTS OF CHRONIC OVEREXPOSURE: None expected.
-FIRST AID: Skin: Wash with soap and water. If irritation persists, call physician.
Inhalation: Remove to fresh air or give Oxygen. Give artificial respiration if victim isn't breathing. Call physician immediately.
Eyes: Flush with water for 15 minutes. If irritation persists, call physician.
Ingestion: Induce vomiting. Call physician immediately.
-EFFECTS OF ACUTE OVEREXPOSURE: Eye irritant
-ROUTE OF ENTRY: Eye Contact
-EXPOSURE LIMITS: None established
-IRRITANCY OF PRODUCT: Very slight
-SENSITIZATION TO PRODUCT: No
-CARCINOGENICITY: No
-TERATOGENICITY: No
-REPRODUCTIVE TOXICITY: No
-MUTAGENICITY: No
-SYNERGISTIC PRODUCTS: No

5970

STEWART HALL - DIVISION OF THE RECTORSEAL CORPORATION
Material Safety Data Sheet for : FLUORESCENT LEAK DETECTOR (P08280C)

SECTION VI - PREVENTIVE MEASURE - REACTIVITY DATA

STABILITY: () Unstable (x) Stable
HAZARDOUS POLYMERIZATION: () May occur (x) Will not occur
-INCOMPATIBILITY: NA
-CONDITIONS TO AVOID: NA
-HAZARDOUS DECOMPOSITION PRODUCTS: None

SECTION VII - PREVENTIVE MEASURES - SPILL OR LEAK PROCEDURES

-STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Wash away with water.
-WASTE DISPOSAL METHOD: Sanitary landfill or sewer.

SECTION VIII - PREVENTIVE MEASURES - SPECIAL PROTECTION INFORMATION

-RESPIRATORY PROTECTION: NA
-VENTILATION: None
-PROTECTIVE GLOVES: Rubber
-EYE PROTECTION: Goggles
-OTHER PROTECTIVE EQUIPMENT: None

SECTION IX - PREVENTIVE MEASURES - SPECIAL PRECAUTIONS

-PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: NA
-OTHER PRECAUTIONS: None

SECTION X - ADDITIONAL REGULATORY INFORMATION

-SARA TITLE III SECTION 313:

This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right to Know Act of 1986 and of 40 CFR 372:

CAS#	Chemical Name	Percent by Weight
	None	

-PROP 65 (CARCINOGEN):

WARNING: This product contains a chemical known to the stat of California to cause cancer.

CAS#	Chemical Name
	None

-PROP 65 (TERATOGEN):

WARNING: This product contains a chemical known to the state of California to cause birth defects or other reproductive harm.

CAS#	Chemical Name
	None

-PROP 65 (BOTH CARCINOGEN AND TERATOGEN):

WARNING: This product may contain a chemical known to the state of California to cause cancer or bith defects or other reproductive harm.

CAS#	Chemical Name
	None