REC'D NOV 14 2000

LOCTITE CORPORATION

ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100 5677 CHM00171

MATERIAL SAFETY DATA SHEET

Page 01 of 05

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name:

LOCQUIC(R) PRIMER N 7649

Item No.:

21348

Product Type:

Aerosol accelerator

2. COMPOSITION, INFORMATION ON INGREDIENTS

80
25
1
1
1

Ingredients which have exposure limits

Exposure Limits (TWA) Ingredients	ACGIH (TLV)	OSHA (PEL)	OTHER
ACETONE	500 ppm TWA 1188 mg/m3		None
Organo-copper compound	Cu 0.2mg/m3fume		None
Exposure Limits (STEL) Ingredients	ACGIH (TLV)	OSHA (PEL)	
ACETONE	750 ppm 1782 mg/m3	1000 ppm 2400 mg/m3	

3. HAZARDS IDENTIFICATION

Toxicity:

Harmful if inhaled or swallowed.

Possible eye and respiratory irritant.

Narcotic at high concentrations.

Prolonged inhalation may cause headaches.

Moderately toxic by ingestion

Liquid may defat skin.

Primary Routes of Entry:

Inhalation, ingestion, contact.

Signs and Symptoms

Vapors irritate eyes, nose and throat.

of Exposure:

Liquid is an eye irritant and may irritate skin.

Existing Conditions

Aggravated by Exposure: None known

LOCTITE CORPORATION

ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET Page 02 of 05

Product Name:

LOCQUIC(R) PRIMER N 7649

Item No.:

21348

3. HAZARDS IDENTIFICATION

(continued)

	Literature Referenced			Carcinogen		
Ingredients	Target Organ and Other	Health Effects	NTP	IARC	OSHA	
ACEBONE	DIO ONG IDD		170	170	170	
ACETONE	BLO CNS IRR		ИО	NO	NO	
ISOBUTANE	CAR CNS LUN		NO	NO	NO	
2-Ethylhexanoic acid	DEV EYE IRR LIV	J REP	NO	NO	NO	
Organo-copper compound	NTO		NO	NO	NO	
Trialkylammonium Carbox	late No Data		NO	ИО	NO	
-			_			

Abbreviations

BLO Blood CAR Cardiac

CNS Central nervous system DEV Developmental

EYE Eyes IRR Irritant LIV Liver LUN Lung

NTO No Target Organs REP Reproductive

4. FIRST AID MEASURES

Ingestion: Give water to dilute. Do not induce vomiting.

Keep individual calm. Obtain medical attention.

Remove to fresh air. If symptoms persist, obtain Inhalation:

medical attention.

Skin Contact:

Wash with soap and water.

Flush with water for at least 15 minutes. Obtain Eye Contact:

medical attention.

5. FIRE FIGHTING MEASURES

Flash Point: Approximately -4°F(Base) Method: Tag Closed Cup

Recommended

Extinguishing Agents:

Carbon dioxide, foam, dry chemical

Special Firefighting

Procedures:

Not available

Hazardous Products formed

by Fire or Thermal Decomp Irritating organic vapors

Unusual Fire or

Explosion Hazards: Cans may burst in fires.

Explosive Limits:

(% by volume in air) Lower Acetone: 2.6%

Isobutane: 1.8%

(% by volume in air) Upper Acetone: 13%

Isobutane: 8.4%

LOCTITE CORPORATION

ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 03 of 05

Product Name:

LOCQUIC(R) PRIMER N 7649

Item No.:

21348

6. ACCIDENTAL RELEASE MEASURES

Steps to be taken in case

of spill or leak: Avoid flame and sparks. Maintain adequate

ventilation. Soak up in an inert absorbent and

store in a closed container until disposal.

7. HANDLING AND STORAGE

Safe Storage:

Handling:

Store away from flame and sparks and below 120F (Contact Loctite Customer Service 1-800-243-4874 for shelf life information) Avoid prolonged breathing of fumes. Avoid skin

or eye contact. Do not use near heat, sparks, or

open flame.

8. EXPOSURE CONTROLS, PERSONAL PROTECTION

Eyes:

Safety glasses or goggles.

Skin:

Rubber or plastic gloves.

Ventilation:

Sufficient to maintain vapor concentration

below TLV.

Respiratory

Not available

See Section 2 for Exposure Limits.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Green liquid (Base only)

Odor:

Acetone

Boiling Point:

133°F (Base only)

pH:

Does not apply

Solubility in Water:

Miscible

Specific Gravity

0.7936 (Base only)

Volatile Organic Compound

(EPA Method 24)

1.48%;11.7 grams per liter of material (Base only)

Vapor Pressure:

Approximately 172 mm Hg at 68°F (Base only)

Vapor Density:

Not available

Evaporation Rate

(Ether = 1)

1.9 (Base only)

10. STABILITY AND REACTIVITY

Stability:

Stable

Hazardous Polymerization: Will not occur

Incompatibility:

Strong oxidizers, peroxides

Conditions to Avoid:

Not available

Hazardous Decomposition

Products (non-thermal):

None

5677

LOCTITE CORPORATION

ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 04 of 05

Product Name:

LOCQUIC(R) PRIMER N 7649

Item No.:

21348

11. TOXICOLOGICAL INFORMATION

See Section 3.

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

Recommended methods of

disposal:

Use disposal service licensed to handle flammable

aerosols.

EPA Hazardous Waste

Number

D001 - Hazardous waste per 40CFR 261.21

14. TRANSPORTATION INFORMATION

DOT (49 CFR 172)

Domestic Ground Transport

Proper Shipping Name:

Consumer Commodity

Hazard Class or

Division:

ORM-D

Identification Number: None

None

Marine Pollutant:

IATA

Proper Shipping Name:

Aerosols, flammable

Class or Division:

Division 2.1

UN or ID Number:

UN 1950

15. REGULATORY INFORMATION

CA Proposition 65:

WARNING: This product contains a chemical known to

the State of California to cause cancer and birth defects or other reproductive

harm.

Traces of lead and nickel

16. OTHER INFORMATION

Estimated NFPA(R) Code:

Health Hazard: 2
Fire Hazard: 4
Reactivity Hazard: 0

Specific Hazard:

Does not apply

Estimated HMIS(R) Code:

Health Hazard: 2
Flammability Hazard: 4
Reactivity Hazards: 0

LOCTITE CORPORATION

ROCKY HILL, CONNECTICUT 06067 EMERGENCY PHONE: (860) 571-5100

MATERIAL SAFETY DATA SHEET

Page 05 of 05

Product Name:

LOCQUIC(R) PRIMER N 7649

Item No.: 21348

16. OTHER INFORMATION

(continued)

Personal Protection:

See Section 8.

NFPA is a registered trademark of the National Fire Protection Assn. HMIS is a registered trademark of the National Paint and Coatings Assn.

Prepared By:

Stephen Repetto

Title: Company: Research Chemist, Environmental Health & Safety Loctite Corp., 1001 Tr Br Cr, Rocky Hill CT 06067

(24hr.) Phone:

(860) 571-5100 January 27, 1999

Revision Date:

Revision: 0008