

1. Product and Company Identification

SDS REC'D by Trane February 23, 2017

Product identifier Green Clean (4186-01, 4186-08, 4186-24)

Other means of identification Not available

Recommended use Cleaner/Degreaser

Recommended restrictions None known.

Manufacturer Nu-Calgon
2008 Altom Court
St. Louis, MO 63146 US
Phone: 314-469-7000 / 800-554-5499
Emergency Phone: 1-800-424-9300 (CHEMTREC)

CHM00367
CHM00368

2. Hazards Identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation.
Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling.
Wear protective gloves.
Wear eye/face protection.

Response If on skin: Wash with plenty of water.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Specific treatment (see this label).
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/Information on Ingredients

Mixture

Chemical name	Common name and synonyms	CAS number	%
(2-Methoxymethylethoxy) propanol		34590-94-8	1-5
2-Propanol, 1-butoxy-		5131-66-8	1-5
Alcohols, C7-21, ethoxylated		68991-48-0	1-5
Sodium carbonate		497-19-8	1-5
Sodium lauriminodipropionate		14960-06-6	1-5
Alcohols, C9-11, ethoxylated		68439-46-3	0.5-1.5

Composition comments US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

4. First Aid Measures

Inhalation	If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.
Skin contact	If on skin: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. Specific treatment (see product label). If skin irritation occurs: Get medical advice/attention.
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	If swallowed: Rinse mouth. Do NOT induce vomiting. If symptoms develop, obtain medical attention.
Most important symptoms/effects, acute and delayed	Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes, skin and clothing. Keep out of reach of children.

5. Fire Fighting Measures

Suitable extinguishing media	Dry chemical, CO ₂ , water spray or regular foam.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	None known.
Special protective equipment and precautions for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Fire-fighting equipment/instructions	Use standard firefighting procedures and consider the hazards of other involved materials.
Specific methods	Move containers from fire area if you can do so without risk.
General fire hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	May include and are not limited to: Oxides of carbon.
Explosion data	
Sensitivity to mechanical impact	Not available.
Sensitivity to static discharge	Not available.

6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop leak if you can do so without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Never return spills to original containers for re-use. Following product recovery, flush area with water. Clean surface thoroughly to remove residual contamination. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Avoid discharge into drains, water courses or onto the ground. Do not discharge into lakes, streams, ponds or public waters. Contact local authorities in case of spillage to drain/aquatic environment.

7. Handling and Storage

Precautions for safe handling	Wash thoroughly after handling. When using do not eat or drink. Use only with adequate ventilation. Avoid breathing vapors or mists of this product. Avoid prolonged exposure. Wear appropriate personal protective equipment. Avoid contact with eyes, skin and clothing. Avoid release to the environment. Do not empty into drains. Keep container tightly closed.
Conditions for safe storage, including any incompatibilities	Store in a closed container. Store away from incompatible materials (see Section 10 of the SDS). Keep out of reach of children.

8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value
(2-Methoxymethylethoxy) propanol (CAS 34590-94-8)	PEL	600 mg/m ³
		100 ppm

US. ACGIH Threshold Limit Values

Components	Type	Value
(2-Methoxymethylethoxy) propanol (CAS 34590-94-8)	STEL	150 ppm
	TWA	100 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value
(2-Methoxymethylethoxy) propanol (CAS 34590-94-8)	STEL	900 mg/m ³
		150 ppm
	TWA	600 mg/m ³ 100 ppm

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection

Rubber gloves. Confirm with a reputable supplier first.

Other

As required by employer code.

Respiratory protection

Wear positive pressure self-contained breathing apparatus (SCBA). Avoid breathing mists or vapors. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Thermal hazards

Not applicable.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and Chemical Properties

Appearance	Clear
Physical state	Liquid.
Form	Liquid.
Color	Green
Odor	Lime.
Odor threshold	Not available.
pH	10.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Pour point	Not available.
Specific gravity	Not available.
Partition coefficient (n-octanol/water)	Not available
Flash point	Not available
Evaporation rate	Not available
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available

Flammability limit - upper (%)	Not available
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available
Vapor density	Not available
Relative density	Not available.
Solubility(ies)	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Bulk density	8.63

10. Stability and Reactivity

Reactivity	This product may react with strong oxidizing agents.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Do not mix with other chemicals. Do not mix with chlorinated products.
Incompatible materials	Oxidizers. Acids.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Information on likely routes of exposure

Ingestion	Expected to be a low ingestion hazard.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.

US ACGIH Threshold Limit Values: Skin designation

(2-Methoxymethylethoxy) propanol (CAS 34590-94-8) Can be absorbed through the skin.

US. NIOSH: Pocket Guide to Chemical Hazards

(2-Methoxymethylethoxy) propanol (CAS 34590-94-8) Can be absorbed through the skin.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Green Clean (4186-01, 4186-08, 4186-24) (CAS Mixture)		
Acute		
<i>Inhalation</i>		
LC50	Rat	1818.2 mg/l, 1 hours, estimated

Components	Species	Test Results
(2-Methoxymethylethoxy) propanol (CAS 34590-94-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	10000 mg/kg
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	5400 mg/kg

Components	Species	Test Results
2-Propanol, 1-butoxy- (CAS 5131-66-8)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	3100 mg/kg
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	3300 mg/kg
Alcohols, C7-21, ethoxylated (CAS 68991-48-0)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Not available	
<i>Oral</i>		
LD50	Rat	1410 mg/kg
Alcohols, C9-11, ethoxylated (CAS 68439-46-3)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 5000 mg/kg
<i>Inhalation</i>		
LC50	Rat	> 20 mg/l, 1 hours
<i>Oral</i>		
LD50	Rat	1200 mg/kg
Sodium carbonate (CAS 497-19-8)		
Acute		
<i>Dermal</i>		
LD50	Rat	> 2000 mg/kg
<i>Inhalation</i>		
LC50	Guinea pig	400 mg/m3
		0.8 mg/l, 2 Hours
	Mouse	1.2 mg/l, 2 Hours
	Rat	2.3 mg/l, 2 Hours
<i>Oral</i>		
LD50	Rat	4090 mg/kg
Sodium lauriminodipropionate (CAS 14960-06-6)		
Acute		
<i>Dermal</i>		
LD50	Rabbit	10200 mg/kg
<i>Inhalation</i>		
LC50		
<i>Oral</i>		
LD50	Rat	31300 mg/kg
Skin corrosion/irritation	Causes skin irritation.	
Exposure minutes	Not available.	
Erythema value	Not available.	
Oedema value	Not available.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Corneal opacity value	Not available.	
Iris lesion value	Not available.	
Conjunctival reddening value	Not available.	

Conjunctival oedema value	Not available.
Recover days	Not available.
Respiratory or skin sensitization	
Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
US ACGIH Threshold Limit Values: Skin designation	
(2-Methoxymethylethoxy) propanol (CAS 34590-94-8)	Can be absorbed through the skin.
US. NIOSH: Pocket Guide to Chemical Hazards	
(2-Methoxymethylethoxy) propanol (CAS 34590-94-8)	Can be absorbed through the skin.
US ACGIH Threshold Limit Values: Skin designation	
(2-Methoxymethylethoxy) propanol (CAS 34590-94-8)	Can be absorbed through the skin.
US. NIOSH: Pocket Guide to Chemical Hazards	
(2-Methoxymethylethoxy) propanol (CAS 34590-94-8)	Can be absorbed through the skin.
Germ cell mutagenicity	Not classified.
Mutagenicity	Not classified.
Carcinogenicity	Not classified.
Reproductive toxicity	Not classified.
Teratogenicity	Not classified.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.
Further information	Not available.
Name of Toxicologically Synergistic Products	Not available.

12. Ecological Information

Ecotoxicity	See below		
Components		Species	Test Results
Alcohols, C9-11, ethoxylated (CAS 68439-46-3)			
Fish		Rainbow Trout	70.7 mg/l, 96 Hours
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	2.9 - 8.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	6 - 12 mg/l, 96 hours
Sodium carbonate (CAS 497-19-8)			
Crustacea	EC50	Daphnia	265 mg/L, 48 Hours
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	156.6 - 298.9 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	300 mg/l, 96 hours
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential	No data available.		
Mobility in soil	No data available.		
Mobility in general	Not available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		

13. Disposal Considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport Information

U.S. Department of Transportation (DOT)

Not regulated as dangerous goods.

Transportation of Dangerous Goods (TDG - Canada)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Canada NPRI VOCs with Additional Reporting Requirements: Mass reporting threshold/Identification Number

2-Propanol, 1-butoxy- (CAS 5131-66-8) 1 TONNES

Canada WHMIS Ingredient Disclosure: Threshold limits

(2-Methoxymethylethoxy) propanol (CAS 34590-94-8) 1 %
Sodium carbonate (CAS 497-19-8) 1 %

WHMIS status Controlled
WHMIS classification Class D - Division 2B
WHMIS labeling



US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting) Not regulated.

Other federal regulations

Safe Drinking Water Act (SDWA) Not regulated.

Food and Drug Administration (FDA) Not regulated.

US state regulations

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

US - California Hazardous Substances (Director's): Listed substance

(2-Methoxymethylethoxy) propanol (CAS 34590-94-8) Listed.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

US - Minnesota Haz Subs: Listed substance

(2-Methoxymethylethoxy) propanol (CAS 34590-94-8) Listed.

US - New Jersey RTK - Substances: Listed substance

(2-Methoxymethylethoxy) propanol (CAS 34590-94-8) Listed.

US - Texas Effects Screening Levels: Listed substance

(2-Methoxymethylethoxy) propanol (CAS 34590-94-8) Listed.

2-Propanol, 1-butoxy- (CAS 5131-66-8) Listed.

Alcohols, C9-11, ethoxylated (CAS 68439-46-3) Listed.

Sodium carbonate (CAS 497-19-8) Listed.

US. Massachusetts RTK - Substance List

(2-Methoxymethylethoxy) propanol (CAS 34590-94-8) Listed.

US. Pennsylvania RTK - Hazardous Substances

(2-Methoxymethylethoxy) propanol (CAS 34590-94-8) Listed.

US. Rhode Island RTK

Not regulated.

Inventory status


Country(s) or region	Inventory name	On inventory (yes/no)*
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

LEGEND	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

HEALTH	/ 1
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

**Disclaimer**

Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

Issue date

20-April-2015

Effective date

20-April-2015

Expiry date

20-April-2018

Further information

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.

Prepared by

Nu-Calgon Technical Service Phone: (314) 469-7000

Other information

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labeling of Chemicals (GHS).
This SDS conforms to the ANSI Z400.1/Z129.1-2010 Standard.