

GKT01401 (OBSOLETE) 1190
GKT01402

Coltec Industries



MATERIAL SAFETY DATA SHEET

REC'D JUN 19 2000

GARLOCK SEALING TECHNOLOGIES
INDUSTRIAL PACKING PRODUCTS
1666 DIVISION STREET
PALMYRA, NY 14522
PHONE: 315-597-4811; FAX: 315-597-7138

DATE PREPARED: Mar 13, 1995
REVISION DATE: June 15, 1998
SIGNATURE OF PREPARER: *J. Daniel Abbott*
J. Daniel Abbott, Supervising Chemist

SECTION I IDENTITY

GARLOCK STYLE 2930 GASKETING - Product Code 39293

SECTION I HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity/Common Name)	Cas#	OSHA LIMITS	ACGIH LIMITS	OTHER LIMITS(Rec)	% (optional)
--	------	----------------	-----------------	----------------------	-----------------

This product is a compressed non-asbestos sheet with a neoprene binder and is not considered hazardous under normal conditions of use.

Rock Wool(man-made mineral fiber)	-----	-----	10 mg/m3	-----	3 - 6
Crystalline Silica	14808-60-7	0.1 mg/m3	0.1 mg/m3	-----	<3.0

SARA Title III Section 313 reportable ingredients: None

SECTION I PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point:	NA	Specific gravity:	NA
Vapor Pressure(mg Hg):	NA	Vapor Density (Air = 1):	NA
Solubility in Water:	Insoluble	Evaporation Rate: (Butyl Acetate = 1)	NA
Melting Point:	NA		
Appearance and Odor:	Black - slight odor		

SECTION I FIRE AND EXPLOSION HAZARD DATA

Flash Point:	NA	Flamability Limits:	NA
Extinguishing Media:	Water, foam, CO2, dry chemical		

1190

GARLOCK STYLE 2930 GASKETING - Product Code 39293

Special Fire Fighting Procedures - In the event of fire use self-contained breathing apparatus(SCBA) and full protective clothing.

Unusual Fire and Explosion Hazards - None

SECTION V REACTIVITY DATA

Stability: Stable

Conditions to Avoid: Excessive heat or open flame

Incompatibility (Materials to Avoid) - Strong acids and oxidizing agents

Hazardous Decomposition Products - None known

Hazardous Polymerizations - Will not occur

SECTION V HEALTH HAZARD DATA

Route(s) of Entry: Inhalation? No Skin? No Ingestion? No

Health Hazards(Acute and Chronic) - Product does not pose a hazard under normal conditions of use but a hazard may arise if subjected to mechanical actions(i.e. cutting, grinding, etc.) that may release fibers or dust to the air.

Carcinogenicity: NTP? No * IARC? Yes * OSHA? No

* Crystalline silica(quartz) has been rated as an anticipated carcinogen by the NTP and as a Group I carcinogen by the IARC.

Signs and Symptoms of Exposure - Not applicable to this product.

Medical Conditions Generally Aggravated by Exposure - Breathing airborne fibers or dust generated from cutting or grinding this product may aggravate any existing lung disorders.

Emergency and First Aid Procedures - In the event of a fire removed to fresh air and call a physician.

1190

GARLOCK STYLE 2930 GASKETING - Product Code 39293

SECTION V PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in the Event that Material is Released - No special precautions

Waste Disposal Method - Landfill according to local, state and federal requirements. This material, as supplied and when discarded or disposed of, is not a hazardous waste according to 40 CFR 261 and is not a hazardous material according to DOT 49 CFR.

Precautions to be Taken in Handling and Storage - Store away from excessive heat or strong acids and oxidizing agents.

Other Precautions - None

SECTION V - CONTROL MEASURES

Respiratory Protection - No special precautions under normal conditions of use.

Ventilation: Local Exhaust - No special precautions under normal conditions of use.

Mechanical - No special precautions under normal conditions of use.

Protective Gloves - Recommended

Eye Protection - Recommended

Other Protective Clothing or Equipment - None required

Special Hygiene Practices - Standard hygiene practices

Note: The information provided herein is accurate to the best of our knowledge and no warrenty, express or implied, is made.

MSDS #: M39293